

Frequently Asked Questions

Question

0 : > B ? @ 0 2 8 B L TCP/UDP ? 0 : 5 B 8 7 : > < 0 = 4 = > 9 A B @ > : 8

Answer

! > 7 4 0 5 < A > : 5 B:

exec

4 5 A : @ 8 ? B > @ - D 0 9 ; 0 < > / dev / ? @ > B > : > ; / 0 4 @ 5 A - C 7 ;
0 / = > < 5 @ - ? > @ B 0

3 4 5 4 5 A : @ 8 ? B > @ D 0 9 ; 0 - G 8 A ; > > B 3. 0 ? @ 8 < 5 @ . $ exec 3
/dev/tcp/192.168.0.1/80

> B ? @ 0 2 : 0 8 ? > ; C G 5 = 8 5 8 = D > @ < 0 F 8 8 8 7 A > : 5 B 2:

echo -e "GET / HTTP/1.1\r\nhost: 192.168.0.1\r\nConnection: close\r\n\r\n" >&3
cat <&3

> ; C G 5 = 8 5 4 0 == K E 2 ? 5 @ 5 < 5 == C N:

\$ echo -ne \$MSG >&3
\$ printf \$MSG >&3

0 : @ K B 8 5 A > : 5 B 0:

\$ exec 4 5 A : @ 8 ? B > @ - D 0 9 ; 0 < &-
\$ exec 4 5 A : @ 8 ? B > @ - D 0 9 ; 0 > &-

- = 0 2 E > 4 8 = 0 2 K E > 4, B. :. > B : @ K 2 0 ; A O

Details

Info Friday 04 June 2021 - 15:01:47 by vampyr

Vampyr`s House!

<https://415.spb.ru/ins/faq/faq.php?0.cat.107>

! B @ 0 = 8 F 0 2/2

Vampyr`s House!