

Frequently Asked Questions

Question

NEC NEAX 2000 IPS = 5 < = > 3 > > = 0 A B @ > 9 : 5

Answer

- B 0 8 = D > @ < 0 F 8 0 A < > 5 9 1 K 2 H 5 9 @ 0 1 > B K . ! 0 < 0
8 = D > @ < 0 F 8 0 = 0 1 8 2 0 ; 0 A L B 0 < > H = 8 < B 5 ; 5 D > = 8 A B > < ,
5 < C 4 0 2 0 ; M B 8 4 0 = = K 5 > 4 8 = E > @ > H 8 9 A ? 5 F . . > 1 1 5 <
" A ; > 2 0 = 0 @ > 4 = K 5 " , 0 = > A 8 B 5 ; L 1 K ; < > 9 .
= 0 G 0 ; L A B 2 > 2 : > = B > @ 5 B > 9 - B @ C A ; 8 2 K 5 ? > 4 ; 5 G : 8 .
4 8 = A B 2 5 = = > 5 < 5 A B > 7 0 2 A N < > N 6 8 7 = L , ? @ >
: > B > @ > 5 ? @ > B 8 2 = > 2 A ? > < 8 = 0 B L .

A = > 2 = K 5 B 5 @ < 8 = K Neax

PIM 1 ; > : A B 0 = F 8 8 , « : > @ 7 8 = 0 » . ! B 0 = F 8 0 < 0 : A 8 < C < < > 6 5 B
A > A B > O B L 8 7 8 - 8 PIM . PIM = C < 5 @ C N B A O : 0 : 0 0 0 , 1 0 0 , 2 0 0 & 7 0 0 .
AP A ; > B 2 PIM . AP = C < 5 @ C N B A O 2 : 0 6 4 > < PIM > B A P 0 0 4 > A P 1 1 .
LEN ; > 3 8 G 5 A : 8 9 ? > @ B , : > B > @ > < C 2 A > > B 2 5 B A B 2 8 5 A B 0 2 8 B A O
Trunk, F 8 D @ > 2 > 9 ? > @ B , 0 = 0 ; > 3 > 2 K 9 ? > @ B , : > = A > ; L (2
7 0 2 8 A 8 < > A B 8 > B : 0 @ B K @ 0 A ? > ; > 6 5 = = > 9 2 A ; > B 5) . 0 : 0 6 4 K 9 PIM
> B 2 > 4 8 B A O 6 4 LEN . LEN = C < 5 @ C N B A O 2 : 0 6 4 > < PIM A E 0 0 4 > E 0 6 3 (3 4 5 E
? 5 @ 2 0 0 F 8 D @ 0 2 = > < 5 @ 5 PIM) .
Ext extension, 2 = C B @ 5 = = 8 9 = > < 5 @ . 1 > 7 = 0 G 0 5 B A O 2 D > @ < 0 B 5 B x x x
(= 0 ? @ 8 < 5 @ : B 0 1 9) . > 6 5 B 1 K B L ? @ > 8 7 2 > ; L = > ? @ 8 2 0 7 0 = :
> ? @ 5 4 5 ; 5 = = > < C LEN 8 O G 5 9 : 5 B 0 1 ; 8 F K @ 0 A ? @ 5 4 5 ; 5 = 8 O .
Trunk ! > @ 3 0 = 8 7 > 2 0 = = 0 O = 0 2 = 5 H = 5 9 0 = 0 ; > 3 > 2 > 9 ; 8 = 8 8 ,
F 8 D @ > 2 > 9 ; 8 = 8 8 i l S D N (B R I , P R I) .
Trunk Route > 1 J 5 4 8 = 5 = 8 5 Trunk - > 2 ? > : 0 : > < C - ; 8 1 > ? @ 8 7 = 0 : C
(= 0 ? @ 8 < 5 @ : 4 ; O 2 K E > 4 0 2 " D > ? @ 5 4 5 ; Q = = > 9 3 @ C ? ? K
0 1 > = 5 = B > 2 G 5 @ 5 7 ; 8 = 8 8 M B > 3 > Rout-a) .
Tenant 3 @ C ? ? 0 0 1 > = 5 = B > 2 , > 1 J 5 4 8 = 5 = = K E ? >
> ? @ 5 4 5 ; 5 = = > < C ? @ 8 7 = 0 : C (= 0 ? @ 8 < 5 @ : 4 ; O 2 K E > 4 0 2 3 > @ > 4
G 5 @ 5 7 > ? @ 5 4 5 ; Q = = K 9 Route) .
" 0 1 ; 8 F 0 @ 0 A ? @ 5 4 5 ; 5 = 8 O ? @ > 3 @ 0 < < 8 @ C 5 < > 5
A > > B 2 5 B A B 2 8 5 Ext 8 2 K 4 5 ; 5 = = > 9 = C < 5 @ 0 F 8 8 " D 4 0 = = > 9 " !
4 ; O > ? @ 5 4 5 ; 5 = 8 O = 0 ? @ 0 2 ; 5 = 8 O 2 K 7 > 2 > 2 .

@ 3 0 = 8 7 0 F 8 0 = > < 5 @ 0 NeaxIPS2000 2 MatWorx32

{ (0 3 1 ? > 8 A : A 2 > 1 > 4 = > 9 O G 5 9 : 8 B 0 1 ; 8 F K @ 0 A ? @ 5 4 5 ; 5 = 8 O 8
? @ 8 2 0 7 : 0 : = 5 9 2 = C B @ 5 = = 5 3 > = > < 5 @ 0)
" F 9 " { A B 0 @ B 2 2 > 4 0 : > < 0 = 4 K }
COMMAND = { 2 2 5 A B 8 : > < 0 = 4 C ? @ 8 2 0 7 : 8 2 = C B @ 5 = = 5 3 > = > < 5 @ 0 :

OG59:5 B01;8FK @0A?@545;5=8O}

COMMAND=7601

"F8" { 2 2 > 4 }

7601>{ 2 2 5 A B 8 =><5 @ OG59:8 B01;8FK @0A?@545;5=8O

(=0?@8<5@:000)}

7601>000

"F4" { A ; 5 4 C N I O O F 8 D @ 0 (4 ; O ? @ > ; 8 A B K 2 0 = 8 O A ? 8 A : 0 }

7601>000:NONE-

&

7601>009:NONE-

7601>010:B000-

7601>010:B001-

{ 8 B . 4 . 4 > ; N 1 > 9 A 2 > 1 > 4 => 3 > 8 ; 8 = 5 > 1 E > 4 8 < > 3 > => < 5 @ 0

OG59:8 B01;8FK @0A?@545;5=8O(=0?@8<5@:172)}

&

7601>127: NONE- { 2 2 5 A B 8 2 = C B @ 5 == 8 9 =><5 @ 2 D > @ < 0 B 5 B E E E

(=0?@8<5@:225)}

7601>127: NONE-B225

"F2" { 2 K ? > ; = 8 B L (B . 5 . 2 = 5 A B 8 8 7 < 5 = 5 = 8 O 2 : > = D 8 3 C @ 0 F 8 N " !) }

OK

{ (0 3 2 - ? @ 8 2 0 7 : 0 : O G 5 9 : 5 B 0 1 ; 8 F K @ 0 A ? @ 5 4 5 ; 5 = 8 O =><5 @ 0

" D }

"F9"

COMMAND={ 2 2 5 A B 8 : ><0=4C ? @ 8 2 0 7 : 8 3 > @ . =><5 @ 0 : O G 5 9 : 5

B01;8FK @0A?@545;5=8O}

COMMAND=7600

"F8"

7600>{ 2 2 5 A B 8 ? > A ; 5 4 = 8 5 G 5 B K @ 5 F 8 D @ K =><5 @ 0 " D

(=0?@8<5@:2792)}

7600>2792

"F8"

7600>2792: NONE- { ? @ 8 2 0 7 0 B L =><5 @ " D : O G 5 9 : 5 B 0 1 ; 8 F K

@0A?@545;5=8O(=0?@8<5@:127-9) =><5 @ E E E 2792}

7600>2792: NONE-127

"F2"

OK

{ (0 3 3 > ? 8 A 0 = 8 5 ? 5 @ 2 K E H 5 A B 8 F 8 D @ =><5 @ 0 0 1 > = 5 = B 0 4 ; O

}

"F9"

COMMAND={ 2 2 5 A B 8 : ><0=4C 1213 (C A B 0 => 2 : 0) }

COMMAND=1213

"F8"

1213>{ 2 2 5 A B 8 2 = C B @ 5 == 8 9 =><5 @ 2 D > @ < 0 B 5 E E E (= 0 ? @ 8 < 5 @ :

225}

1213>B225

"F8"

1213>B225:02- { 2 2 5 A B 8 =><5 @ B 0 1 ; 8 F K ? @ 5 D 8 : A > 2 * (2 4 0 ==>< A ; C G 0 5
? > C < > ; G 0 = 8 N A B > 8 B 0 2) }

1212>B225:02-03 { 2 2 5 A B 8 =><5 @ O G 5 9 : 8 B 0 1 ; 8 F K ? @ 5 D 8 : A > 2
(= 0 ? @ 8 < 5 @ : 4 ; O = C < 5 @ 0 F 8 8 2 8 4 0 8 1 2 3 3 2 E E E E M B > 0 3) }

"F2"

OK

{ (0 3 4 > ? 8 A 0 = 8 5 ? > A ; 5 4 = 8 E G 5 B K @ 5 E F 8 D @ =><5 @ 0
0 1 > = 5 = B 0 4 ; O }

"F9"

COMMAND= { 2 2 5 A B 8 : > < 0 = 4 C 1 2 1 2 (C A B 0 => 2 : 0) }

COMMAND=1212

"F8"

1212> { 2 2 5 A B 8 2 = C B @ 5 == 8 9 =><5 @ 2 D > @ < 0 B 5 E E E (= 0 ? @ 8 < 5 @ :
2 2 5) }

1212>B225

"F8"

1212>B172:5610- { 2 2 5 A B 8 ? > A ; 5 4 = 8 5 G 5 B K @ 5 F 8 D @ K 3 > @ . =><5 @ 0
= 0 ? @ 8 < 5 @ : 2 7 9 2 (? > C < > ; G 0 = 8 N A B > 8 B 5 6 1 0) }

1212>B172:5610-2792

"F2"

OK

A B 0 => 2 : 0 ; 0 A A 0 A 5 @ 2 8 A 0 0 1 > = 5 = B 0 (3 > @ > 4 \ < 5 6 3 > @ > 4)

"F9" { A B 0 @ B 2 2 > 4 0 : > < 0 = 4 K }

COMMAND= { 2 2 5 A B 8 : > < 0 = 4 C C A B 0 => 2 : 8 ; 0 A A 0 A 5 @ 2 8 A 0 }

COMMAND=1201

"F8" { 2 2 > 4 }

1201> { 2 2 5 A B 8 2 = . =><5 @ 2 D > @ < 0 B 5 E E E (= 0 ? @ 8 < 5 @ : 0 2 7) }

1201> 0 2 7

"F8"

1201> 0 2 7 : 1 1 - { B . 5 . : ; 0 A A A 5 @ 2 8 A 0 1 1 , 4 ; O 8 7 < 5 = 5 = 8 O = 0 4 @ C 3 > 9
: ; 0 A A 2 = 5 A B 8 : > 4 : ; 0 A A 0 ? > A ; 5 4 5 D 8 A 0 }

1201> 0 2 7 : 1 1 - 2 2 { = 0 ? @ 8 < 5 @ : ; 0 A A A 5 @ 2 8 A 0 - 2 2 }

"F2" { 2 K ? > ; = 8 B L (B . 5 . 2 = 5 A B 8 8 7 < 5 = 5 = 8 O 2 : > = D 8 3 C @ 0 F 8 N " !) }

OK

> 4 K ; 0 A A > 2 A 5 @ 2 8 A 0 :

11 @ 0 7 @ 5 H 5 = K 2 A 5 2 E > 4 O I 8 5 8 2 A 5 8 A E > 4 O I 8 5 A > 5 4 8 = 5 = 8 O

22 @ 0 7 @ 5 H 5 = K 2 A 5 2 E > 4 O I 8 5 8 8 A E > 4 O I 8 5 A > 5 4 8 = 5 = 8 O

: @ > < 5 < 5 6 4 C = 0 @ > 4 = K E

33 @ 0 7 @ 5 H 5 = K 2 A 5 2 E > 4 O I 8 5 8 8 A E > 4 O I 8 5 A > 5 4 8 = 5 = 8 O

: @ > < 5 < 5 6 4 C = 0 @ > 4 = K E 8 < 5 6 4 C 3 > @ > 4 = K E

44 @ 0 7 @ 5 H 5 = K 2 A 5 2 E > 4 O I 8 5 , 2 A 5 8 A E > 4 O I 8 5 7 0 ? @ 5 I 5 = K

Call pickup group (3 @ C ? ? 0 ? 5 @ 5 E 2 0 B 0 7 2 > = : > 2) NEAX

F9

command=160

2 2 > 4 8 < : > < 0 = 4 C

160>Bxxx:Byyy

2 2 > 4 8 < ? 5 @ 2 K 9 2 = C B @ 5 == 8 9 == > < 5 @

F2

160>Bsss:Bccc

2 2 > 4 8 < 2 B > @ > 9 2 = C B @ 5 == 8 9 == > < 5 @, 8 B 0 : ? > : 0 = 5 4 > 9 4 5 <

4 > ? > A ; 5 4 = 5 3 >, ? > A ; 5 G 5 3 > = 0 ? > A ; 5 4 = 5 < 2 2 > 4 8 < > ? O B L

? 5 @ 2 K 9, B 5 < A 0 < K < ? >; C G 0 5 B A O " : >; L F > " 8 7 2 = C B @ 5 == 8 E

= > < 5 @ > 2.

; 8 2 0 5 < 2 1 B 5 ; 5 D > == K 9 == > < 5 @

COMMAND=7600

7600>XXXX

{ 6 < 5 < F8}

7600>XXXX:005-

8 1 5 < ? > B > : ? > C 6 5 2 ; 8 B > < C 2 ? > B > : == > < 5 @ C G 5 @ 5 7

5 3 > 2 8 @ B C 0 ; L = K 9 == > < 5 @

{ 6 < 5 < F9}

COMMAND=7601

{F8}

7601>005

{F8}

7601>005:A900 % % % % - A900 == > < 5 @ ? > B > : 0 1, % % % % ? > A ; 5 4 = 8 5 4 F 8 D @ K

3 > @ > 4 A : > 3 > == > < 5 @ 0

{F9}

COMMAND=7601

7601>004

{F8}

7601>004:NONE-A900, # # # #

{F2}

OK

8 1 5 < A 2 > 1 > 4 = K 9 2 8 @ B C 0 ; L = K 9 == > < 5 @ 8 2 ; 8 2 0 5 <

3 > @ > 4 A : > 9 == > < 5 @ 2

? > B > : 4 > 1 0 2 ; O O : == > < 5 @ C ? > B > : 0

? > A ; 5 4 = 8 5 4 F 8 D @ K 3 > @ > 4 A : > 3 > == > < 5 @ 0 # # # #

COMMAND=7600

7600> # # # #

[F8]

7600> # # # #:NONE-004

{F2}

OK

? @ 8 2 0 7 K 2 0 5 < == > < 5 @ 7 0 8 4 : 2 8 @ B C 0 ; L = > < C == > < 5 @ C

@ 8 2 O 7 : 0 =><5 @ 0 2 = C B @ 5 == 5 3 > ? > @ B 0 : LEN

```
{1 ? @ 8 2 O 7 : 0 =><5 @ 0 2 = C B @ 5 == 5 3 > 0 = 0 ; > 3 > 2 > 3 >
0 1 > = 5 = B 0 (Ext)}
"F9" { A B 0 @ B 2 2 > 4 0 : > < 0 = 4 K}
COMMAND = { 2 2 5 A B 8 : > < 0 = 4 C ? @ 8 2 O 7 : 8 Ext : LEN}
COMMAND = 10
"F8" { 2 2 > 4}
000>NONE-{ 2 2 5 A B 8 2 = C B @ 5 == 8 9 =><5 @ 2 D > @ < 0 B 5 B x E E (= 0 ? @ 8 < 5 @ :
B000)}
000>B000
"F2" { 2 K ? > ; = 8 B L ( B . 5 . 2 = 5 A B 8 8 7 < 5 = 5 = 8 O 2 : > = D 8 3 C @ 0 F 8 N " ! )}
OK
"F4" { A ; 5 4 C N I O O G 5 9 : 0 ( 4 ; O ? @ > ; 8 A B K 2 0 = 8 O B 0 1 ; 8 F K}
&
063> NONE-
063>NONE-{ 2 2 5 A B 8 2 = C B @ 5 == 8 9 =><5 @ 2 D > @ < 0 B 5 B x E E (= 0 ? @ 8 < 5 @ :
B063)}
"F2" { 2 K ? > ; = 8 B L ( B . 5 . 2 = 5 A B 8 8 7 < 5 = 5 = 8 O 2 : > = D 8 3 C @ 0 F 8 N " ! )}
OK
```

LEN 6 5 A B : > ? @ 8 2 O 7 0 = : PIM, B . 5 . 2 = C ; 5 2 > < PIM = C < 5 @ 0 F 8 O LEN 000-063,
2 > 2 B > @ > < PIM = C < 5 @ 0 F 8 O LEN 100-163 8 B . 4.

! > 7 4 0 = 8 5 B 0 1 ; 8 F K ? @ 5 D 8 : A > 2 NeaxIPS2000

```
"F9" { A B 0 @ B 2 2 > 4 0 : > < 0 = 4 K}
COMMAND = { 2 2 5 A B 8 : > < 0 = 4 C 7 0 ? > ; = 5 = 8 O B 0 1 ; 8 F K ? @ 5 D 8 : A > 2}
COMMAND = 5005
"F8" { 2 2 > 4}
7601>{ 2 2 5 A B 8 =><5 @ O G 5 9 : 8 B 0 1 ; 8 F K ? @ 5 D 8 : A > 2 2 D > @ < 0 B 5 E E
( = 0 ? @ 8 < 5 @ : 0 1 )}
7601>01
"F8"
5005>01:71- { B . 5 . 4 > 1 0 2 ; O 5 B A O ? @ 5 D 8 : A 7 1}
"F4" { A ; 5 4 C N I O O G 5 9 : 0 ( 4 ; O ? @ > ; 8 A B K 2 0 = 8 O B 0 1 ; 8 F K}
5005>02:812xxx- 3 4 5 E E E ? 5 @ 2 K 5 B @ 8 F 8 D @ K 3 > @ > 4 A : > 3 > =><5 @ 0 (
8 ; 8 ? C ; 0 =><5 @ > 2)
5005>03:812yyy- 3 4 5 C C C ? 5 @ 2 K 5 B @ 8 F 8 D @ K 3 > @ > 4 A : > 3 > =><5 @ 0 ( 8 ; 8
? C ; 0 =><5 @ > 2)
5005>04:NONE-
5005>05:NONE-
5005>06:NONE-
5005>07:NONE-
5005>08:NONE-
5005>09:NONE-
5005>10:NONE-
```

5005>11:NONE-

5005>12:NONE-

5005>13:NONE-

5005>14:NONE-

5005>15:NONE-{ ? @ 8 = 5 > 1 E > 4 8 < > A B 8 8 7 < 5 = 8 B L ? @ 5 D 8 : A 8 ; 8

4 > 1 0 2 8 B L 2 2 5 A B 8 B @ 5 1 C 5 < K 5 F 8 D @ K ? > A ; 5 4 5 D 8 A 0 }

5005>15:NONE-812700

"F2" { 2 K ? > ; = 8 B L (B . 5 . 2 = 5 A B 8 8 7 < 5 = 5 = 8 O 2 : > = D 8 3 C @ 0 F 8 N " !) }

OK

Details

Info Sunday 14 March 2010 - 18:42:31 by

Vampyr`s House!