

Frequently Asked Questions

Question

> A A B 0 => 2 ; 5 = 8 5 FreeBSD 8 7 1 5 : 0 ? 0 A ? > < > I L N Fixlt 8 restore

Answer

```
> 3 4 0 A ; C G 0 5 B A O G B > - B > A / ? 0 @ B 8 F 8 5 9 8 ; 8 ? > 3 8 1 0 5 B 4 8 A : A
> A => 2 => 9 G 0 A B L N FreeBSD, 2 A ; C G 0 5 8 < 5 N I 5 3 > A O 1 5 : 0 ? 0,
A 4 5 ; 0 = => 3 > ? @ 8 ? > < > I 8 dump, ? @ > 1 5 2 A 5 3 > 2 > A A B 0 => 2 8 B L A
? > < > I L N C A B 0 => 2 > G => 3 > 4 8 A : 0. 0 3 @ C 6 0 5 B 5 A L A = 5 3 >,
2 K 1 8 @ 0 5 B 5 Fixit -> CD/DVD 8 ? > ? 0 4 0 5 B 5 2 H 5 ; ;. " 5 ? 5 @ L < > 6 =>
? @ 8 < > = B 8 @ > 2 0 B L 2 > A A B 0 = 0 2 ; 8 2 0 5 < K 9 @ 0 7 4 5 ; ( 8 ; 8 A > 7 4 0 B L
5 3 > ? @ 5 4 2 0 @ 8 B 5 ; L => 2 label editor 5 B > 3 > 6 5 sysinstall 8
? @ 8 < > = B 8 @ > 2 0 B L 2 : 0 B 0 ; > 3 mnt (= 0 ? @ 8 < 5 @, O 1 > ; L H 5 ; N 1 ; N
A > 7 4 0 B L 3 @ > < : > 5 / 1 2 3 4 5), ? > B > < ? @ 8 < > = B 8 @ > 2 0 B L => A 8 B 5 ; L
A 4 0 < ? > < A 8 A B 5 < K 8... 2 > B B C B = C 6 => 7 = 0 B L > 4 8 = = N 0 = A. 0 H
4 0 < ? = 5 @ 0 7 2 5 @ = 5 B A O 2 H 5 ; ;. 5 > B A 8 A 8 = A B 0 ; ;. 0. < C = 5
E 2 0 B 8 B < 5 A B 0. > M B > 9 ? @ 8 G 8 = 5 = C 6 => ? @ 5 2 @ 0 B 8 B L H B 0 B = K 9
: 0 B 0 ; > 3 / tmp 2 = 5 G B > 7 = 0 G 8 B 5 ; L => 1 > ; L H 5 3 > > 1 J 5 < 0. " C B
< > 6 => 8 A ? > ; L 7 > 2 0 B L 2 2 0 @ 8 0 = B 0. 8 1 > 2 K 8 A ? > ; L 7 C 5 B 5
A 8 < ; 8 = : > B : 0 B 0 ; > 3 0 A 4 0 < ? > < A 8 A B 5 < K:
```

```
In -sf /mnt/tmp tmp
```

```
; 8 1 > ? 5 @ 5 = 0 ? @ 0 2 ; O 5 B 5 ? 5 @ 5 < 5 = = C N 2 @ 5 < 5 = = > 3 >
: 0 B 0 ; > 3 0 2 = => 2 > 5 < 5 A B > :
```

```
export TMPDIR=/tmp/writable_tmp/
```

```
A 5. " 5 ? 5 @ L 4 0 < ? < > 6 => A ; 8 2 0 B L. ! C < < 0 @ = > = 0 1 > @
: > < 0 = 4 2 K 3 ; O 4 8 B B 0 : ( A C G 5 B > < C 6 5 A > 7 4 0 = = K E @ 0 7 4 5 ; > 2 = 0
=> 2 > < < 5 A B 5, 3 4 5 1 C 4 5 B @ 0 7 2 5 @ = C B 0 A 8 A B 5 < 0):
```

```
# mv tmp/ tmp.old
# ln -sf /mnt/tmp tmp
# mkdir /dumpfiles
# /mnt2/usr/sbin/mount_msdosfs /dev/ad0s5 /dumpfiles ( M B > 4 > A > 2 K 9 => A 8 B 5 ; L, = 0 ? @ 8 < 5 @)
# cd /mnt
# /mnt2/sbin/restore -vrf /dumpfiles/root.0
# chmod 1777 /tmp
```

```
5 7 0 1 C 4 L B 5 ? > 4 : > @ @ 5 : B 8 @ > 2 0 B L:
```

```
# vi /etc/fstab etc
# vi /etc/rc.conf
```

0 B > < > 6 5 B 5 = 5 7 0 3 @ C 7 8 B L A O 8 7 - 7 0 8 7 < 5 = 5 = 8 O 1 C : 2 8
=> A 8 B 5 ; 5 9 ? 0 @ B 8 F 8 9 . C 8 = 5 7 0 1 C 4 L B 5 E > B L B 5 < 6 5 sysinstall
A 4 5 ; 0 B L 4 8 A : 7 0 3 @ C 7 > G = K < . A 5 . 5 @ 5 7 0 3 @ C 7 : 0 - 2 A 5
@ 0 1 > B 0 5 B .

Details

Info Saturday 15 January 2011 - 01:21:03 by vampyr

Vampyr`s House!